

Bill of Materials Listing

TransArctic Canada Inc.

4/29/2005

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KMK72070		Mt Kit, C7, BBCV, 2 TM-16, P6		8/28/2003	44.63		0
10	BEL61537	Belt, 6gr, 1537mm (60.5") (5060605)		each	1		
20	BMK70002	Bkt, Main, Weldmt, C7, BBCV, P6		each	1		
25	BMK70003	Bkt, Spacer, Pl, C7, BBCV, P6		each	1		
30	BMK60020	Bkt, Brace, RR P/S, Sup, 3126, BBCV, P6		each	1		
40	BMK70005	Bkt, Brace, Diag D/S, Sup, C7, BBCV, P6		each	1		
44	BMS60001	Bkt, Cradle, Front, TM-16, 3126, P8		each	2		
45	BMS60002	Bkt, Cradle, Rear, TM-16, 3126, P8		each	2		
50	TEN80002	Tenr, HD Spring, BackSide, CCW (89200A)		each	1		
60	PUL80076	Pulley, Idler, Backside, P8, 76d (89062)		each	1		
70	BAK72070	Bag Kit, Fasteners, KMK72070		each	1		





Bill of Materials Listing

TransArctic Canada Inc.

4/29/2005

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
BAK72070		Bag Kit, Fasteners, KMK72070		11/3/2003	2.65		0
10	BTS10001	Bolt, Shoulder, 10mm (89064)		each	1		
20	BTC10080	Bolt, Hex, 10 x 1.5 x 80mm, 10.9, Plt		each	2		
30	BTC10035	Bolt, Hex, 10 x 1.5 x 35mm, 10.9, Plt		each	9		
40	BTC10030	Bolt, Hex, 10 x 1.5 x 30mm, 10.9, Plt		each	11		
45	BTC10025	Bolt, Hex, 10 x 1.5 x 25mm, 10.9, Plt		each	2		
50	BTA10090	Bolt, Hex, 10 x 1.5 x 90mm, 8.8, Plt		each	1		
60	CSF10051	Capscrew, FH, 10 x 1.5 x 50mm, 10.9,Plt		each	2		
70	NTA10000	Nut, Hex, 10 x 1.5, 8.8, Plt		each	19		
80	WDS17001	Washer, Dust Cover (89060)		each	1		
90	WFA10000	Washer, Flat, 10mm, 8.8, Plt		each	9		
100	WLA10000	Washer, Lock, 10mm, 8.8, Plt		each	25		



ISOMETRIC VIEW

NOTES:
 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE ALL BOLTS TO S.A.E. SPECIFICATIONS.
 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
20	9	EACH	WFA10000	WASHER, FLAT, 10mm, 8.8, PLT
19	25	EACH	WLA10000	WASHER, LOCK, 10mm, 8.8, PLT
18	1	EACH	WDS17001	WASHER, DUST COVER (PUL80076)
17	1	EACH	TEN80002	TENR, HD SPRING, BACKSIDE, CCW
16	1	EACH	PUL80076	PULLEY, IDLER, BACKSIDE, P8, 76D, 39W
15	19	EACH	NTA10000	NUT, HEX, 10 x 1.5, 8.8, PLT
14	2	EACH	CSF10051	CAPSCREW, FH, 10 x 1.5 x 50mm, 10.9, PLT
13	1	EACH	BTS10001	BOLT, SHOULDER, 10mm (IDLER PULLEY)
12	2	EACH	BTC10080	BOLT, HEX, 10 x 1.5 x 80mm, 10.9, PLT
11	9	EACH	BTC10035	BOLT, HEX, 10 x 1.5 x 35mm, 10.9, PLT
10	11	EACH	BTC10030	BOLT, HEX, 10 x 1.5 x 30mm, 10.9, PLT
9	2	EACH	BTC10025	BOLT, HEX, 10 x 1.5 x 25mm, 10.9, PLT
8	1	EACH	BTA10090	BOLT, HEX, 10 x 1.5 x 90mm, 8.8, PLT
7	2	EACH	BMS6002	BKT, CRADLE, REAR, TM-16, 3128, P8
6	2	EACH	BMS6001	BKT, CRADLE, FRONT, TM-16, 3128, P8
5	1	EACH	BMK70005	BKT, BRACE, DIAG D/S, SUP, C7, BBCV, P6
4	1	EACH	BMK70003	BRK, SPACER, PL, C7, BBCV, P6
3	1	EACH	BMK70002	BRK, MAIN, WELDMT, C7, BBCV, P6
2	1	EACH	BMK60020	BKT, BRACE, RR, WEB, 3128, BBCV, P6
1	1	EACH	BEL61537	BELT, 6gr, 1537mm (60.5")

DRAWN: vjakowlew 11/11/2003				BILL OF MATERIALS			
CHECKED: Ron Ingram 11/11/2003				TRANSARCTIC INC.			
RELEASED TO PRODUCTION: 11/12/2003 USA				TITLE			
REV	ECN	DESCRIPTION	DATE	BY	MFG APPROVED		
				James Stewart	11/11/2003		
				vjakowlew	11/11/2003		
DATE MASON: 11/11/2003				MFG APPROVED			
				DATE MASON: 11/11/2003		MFG APPROVED	
UNSPECIFIED TOLERANCES:				DWG NO			
HOLE DIMENSION: H9/D9				F			
HOLE POSITION: M13/14				KMK72070			
HOLE LOCATION: M13/14				SCALE: 1:2			
HOLE FORM: M13/14				SHEET 1 OF 1			
HOLE FINISH: M13/14							
HOLE THREAD: M13/14							
HOLE TREATMENT: M13/14							

TransArctic A/C Compressor Mount Installation Disclaimer

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount installed by another party.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. Mount functionality, operation and durability can all be compromised by an incompetent installation.

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.