

Bill of Materials Listing

3/17/2006


TransArctic Canada Inc.


Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
KMG82070		Mt Kit, GMC 8.1L Gas, 2 TM-16, P7, SA		3/29/2002	21.65		0
10	BEL73169	Belt, 7gr, 3169mm (124.7")		each	1		
20	BEL11397	Belt, A gr, 1397mm (55") (17550)		each	1		
30	BMG80003	Bkt, Main, 8.1L Chev, 2 TM-16		each	1		
40	BMG80004	Bkt, Tenr, 8.1L Chev, SA TM-16		each	1		
50	BMS16001	Bkt, Front, TM-16, 8gr (BMP10001)		each	1		
60	BMS16002	Bkt, Rear, TM-16, 8gr (BMP10001)		each	1		
70	BMS16005	Bkt, Low, Front, TM-16		each	1		
80	BMS16006	Bkt, Low, Rear, TM-16		each	1		
90	PUL81000	Pulley, Fan, Add-on, Chev, 8.1L, SA		each	1		
100	PUL80089	Pulley, Idler, Backside,P8,86.4d (89106)		each	1		
110	CLP20028	Clamp, "P" type, #28, 1/2"w, 1 3/4", PC		each	1		
120	BTS10001	Bolt, Shoulder, 10mm (89064)		each	1		
130	BTA10030	Bolt, Hex, 10 x 1.5 x 30mm, 8.8, Plt		each	13		
140	BTA10065	Bolt, Hex, 10 x 1.5 x 65mm, 8.8, Plt		each	1		
150	BTA10080	Bolt, Hex, 10 x 1.5 x 80mm, 8.8, Plt		each	1		
155	BTP04150	Bolt, Hex, 1/4-20unc, 1.5", 5, Plt		each	1		
160	CSF10031	Capscrew, FH, 10 x 1.5 x 30mm, 10.9,Plt		each	4		
170	CSS08030	Capscrew, SH, 8 x 1.25 x 30mm, 12.9, Plt		each	4		
175	NTP06000	Nut, Hex, 3/8-16unc, 5, Plt		each	2		
180	NTP04000	Nut, Hex, 1/4-20unc, 5, Plt		each	1		
190	WDS17002	Washer, Dust Cover (PUL80089)		each	1		
200	WFA10000	Washer, Flat, 10mm, 8.8, Plt		each	11		
205	WFS06000	Washer, Flat, 3/8", 2, USS, Plt		each	2		
210	WFP04000	Washer, Flat, 1/4", 5, Plt		each	1		
220	WLA10000	Washer, Lock, 10mm, 8.8, Plt		each	16		
230	WLA08000	Washer, Lock, 8mm, 8.8, Plt		each	4		
235	WLP06000	Washer, Lock, 3/8", 5, Plt		each	2		
240	WLN04000	Washer, Lock, 1/4", 2, Plt		each	1		

KMG82070 Chev 8.1L TM-16 P8, TM-16 SA

Tensioner Assembly





Tension outer compressor with this nut

Then tighten this nut

TransArctic A/C Compressor Mount Installation Disclaimer

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. Mount functionality, operation and durability can all be compromised by an incompetent installation.

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount improperly installed by another party.

With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.