

# Bill of Materials Listing

TransArctic Canada Inc.

9/20/2021  
Page 1 of 1

Product Number	Date	Description	Uof M	Weight	Yield	
Line	Qty	Component Prod#	Rev#	Bin	Unit	
<b>KMC64164</b>	<b>3/11/2016</b>	<b>2 Mt Kit, ISB13, T3RE, O5G, 8" Cr, '16</b>			<b>703.17</b>	<b>0</b>
5	1	PAC39131				
		Pack, Carton, 39" x 13" x 16.25", 51 BC				
10	1	BEL32235			each	
		Belt, Banded B gr,2235mm (88")				
20	1	BMC67096			each	
		0 Bkt, Diag Brace, DS, Frame Rail, T3RE				
30	1	BMC67197			each	
		0 Bkt, Main, Idler, Weldm't, '20				
35	1	BMC67198			Each	
		0 Bkt, Brace, Idler, Support, '20				
40	1	BMC83107			each	
		1 Bkt, Main, FRT Support, T3RE, '13				
50	1	BMC83109			each	
		0 Bkt, Main, Lateral Brace, T3RE, '13				
70	1	BMC83122			each	
		0 Bkt, Exhaust, Adapter, T3RE, '13				
80	1	BMC90009			each	
		0 Bkt, Main, RR Support, CNG,T3RE, '13				
90	1	KCB84164			each	
		2 Kit, Compressor, 24V,O5G, '13				
100	1	KIZ00001			each	
		1 Kit, Inst, Relocate PDU, Transit Mts				
120	1	PUA05012			each	
		0 Pulley, Assy, Idler,B/BX gr,5", STL,Plt				
130	1	PUL67323			each	
		0 Pulley, Crank, ADD-ON, 8.75", ISB, 2B/3V				
140	1	PUL80074			each	
		Pulley, Idler, B/S, Wide, 74d (89102)				
150	1	SCD41012			each	
		0 Spacer, Col, Drl, 41 mm x 25.4o x 12.3i				
160	1	SCD46012			each	
		1 Spacer, Col, Drl, 46mm x 31.8o x 12.0i				
170	2	SLV17012			each	
		0 Sleeve, Pulley, 16.9o x 22.23mm x 12.32i				
180	1	KBC64164			each	
		2 Bag Kit, Fasteners, KMC64164				

# Bill of Materials Listing

TransArctic Canada Inc.

9/20/2021  
Page 1 of 1

Product Number	Date	Description	Uof M	Weight	Yield	
Line	Qty	Component Prod#	Rev#	Description	Bin	Unit
<b>KBC64164</b>	<b>3/11/2016</b>	<b>2</b>	<b>2</b>	<b>Bag Kit, Fasteners, KMC64164</b>		
10	2	BTC10035		Bolt, Hex, 10 x 1.5 x 35mm, 10.9, Plt,FT		each
20	5	BTC12040		Bolt, Hex, 12 x 1.75 x 40mm, 10.9,Plt,FT		each
30	2	BTC12050		Bolt, Hex, 12 x 1.75 x 50mm, 10.9,Plt		each
40	2	BTC12100		Bolt, Hex, 12 x 1.75 x 100mm, 10.9, Plt		each
50	7	BTQ08126		Bolt, Hex, 1/2-20unf, 1.25", 8, Plt		each
60	3	NTA10000		Nut, Hex, 10 x 1.5, 8.8, Plt		each
70	9	NTA12000		Nut, Hex, 12 x 1.75, 8.8, Plt		each
80	6	WFA10000		Washer, Flat, 10mm, 8.8, Plt		each
90	16	WFA12000		Washer, Flat, 12mm, 8.8, Plt		each
100	6	WFO08000		Washer, Flat, 1/2", 8, Plt		each
110	3	WLA10000		Washer, Lock, 10mm, 8.8, Plt		each
120	9	WLA12000		Washer, Lock, 12mm, 8.8, Plt		each
130	6	WLQ08000		Washer, Lock, 1/2", 8, Plt		each

# Bill of Materials Listing

TransArctic Canada Inc.

9/17/2021  
Page 1 of 1

Product Number	Date	Description		Uof M	Weight	Yield		
Line	Qty	Component	Prod#	Rev#	Description	Bin	Unit	
<b>KCB84164</b>	<b>8/2/2013</b>	<b>2</b>	<b>Kit, Compressor, 24V,O5G, '13</b>				<b>446.29</b>	<b>0</b>
10	2	BEL11143			Belt, A gr, 1143mm (45") (17450)		each	
30	2	BMN80008			1 Vibration Isolator, Bar, 16.50 x 2 x 1.50		each	
40	1	BMZ00043			3 Bkt, Main, Base Pl, '13		each	
50	1	BMN80025			0 Bkt, Back, PL, Slide, IC, RE300		each	
60	2	BMT10011			0 Bkt, Tenr, Block, Offset, 3mm		each	
70	1	KBT84164			1 Kit, Platform, O5G W/ Alt, '13		each	
80	1	PUL03321			1 Pulley, ALT, Idler, 3.25"d, 2A		each	
90	1	TRD08120			Threaded, Rod, 1/2-13unc x 12", 5, Plt		each	
100	1	KBZ84164			0 Bag Kit, Fasteners, KCB84164		each	

# Bill of Materials Listing

TransArctic Canada Inc.

9/17/2021  
Page 1 of 1

Product Number	Date	Description	Uof M	Weight	Yield			
Line	Qty	Component Prod#	Rev#	Description	Bin	Unit	Weight	Yield
<b>KBZ84164</b>	<b>10/18/2013</b>	<b>1</b>	<b>1</b>	<b>Bag Kit, Fasteners, KCB84164</b>			<b>2.16</b>	<b>0</b>
10	1	BTP08653		Bolt, Hex, 1/2-13unc, 6.5", 5, Plt, FT		each		
20	3	BTQ08101		Bolt, Hex, 1/2-20unf, 1.00", 8, Plt		each		
30	2	BTQ08126		Bolt, Hex, 1/2-20unf, 1.25", 8, Plt		each		
35	1	BTQ08150		Bolt, Hex, 1/2-13unc, 1.5", 8, Plt		each		
40	1	BTQ08200		Bolt, Hex, 1/2-13unc, 2.0", 8, Plt		each		
50	1	BTQ08653		Bolt, Hex, 1/2-13unc, 6.5", 8, Plt		each		
60	1	CSF08076		Capscrew, FH, 1/2-20unf x .75",Alloy,Plt		each		
70	6	NTQ08000		Nut, Hex, 1/2-13unc, 8, Plt		each		
80	8	WFQ08000		Washer, Flat, 1/2", 8, Plt		each		
90	11	WLQ08000		Washer, Lock, 1/2", 8, Plt		each		

# Bill of Materials Listing

TransArctic Canada Inc.

9/17/2021  
Page 1 of 1

Product Number	Date	Description		Uof M	Weight	Yield		
Line	Qty	Component Prod#	Rev#	Description	Bin	Unit	Yield	
<b>KBT84164</b>	<b>8/2/2013</b>	<b>1</b>	<b>1</b>	<b>Kit, Platform, O5G W/ Alt, '13</b>			<b>71.01</b>	<b>0</b>
10	1	BMC83111	1	Bkt, Weldm't, Alt Extension, T3RE, '13		each		
20	1	BMN80010	0	Bkt, Main, Slide, Assy, O5G, IC, RE300		each		
50	1	SCD29213	0	Spacer, Col, Drl, 29.21mm x 25.4o x 12.7i		each		
60	1	KBZ94164	0	Bag Kit, Fasteners, KBT84164		each		

# Bill of Materials Listing

TransArctic Canada Inc.

9/17/2021  
Page 1 of 1

Product Number	Date	Description		Uof M	Weight	Yield	
Line	Qty	Component	Prod#	Rev#	Bin	Unit	
<b>KBZ94164</b>	<b>1/21/2015</b>	<b>0</b>	<b>Bag Kit, Fasteners, KBT84164</b>			<b>0.38</b>	<b>0</b>
10	2	BTQ06150				each	
15	4	NTP07000				each	
20	2	WFN06000				each	
30	4	WFN07000				each	
40	2	WLQ06000				each	
50	4	WLQ07000				each	

# Bill of Materials Listing

TransArctic Canada Inc.

9/17/2021

Page 1 of 1

<b>Product Number</b>	<b>Date</b>	<b>Description</b>		<b>Uof M</b>	<b>Weight</b>	<b>Yield</b>
Line	Qty	Component Prod#	Rev# Description	Bin	Unit	
<b>KIZ00001</b>	<b>6/11/2014</b>	<b>1</b>	<b>Kit, Inst, Relocate PDU, Transit Mts</b>			<b>148.17</b>
10	1	BMC67093	1 Bkt, Fuse Panel, Vert., ISB, T3RE		each	
20	1	BMC67094	1 Bkt, Diag, Brace DS, Fuse Panel, T3RE		each	
30	1	BMC67095	0 Bkt, Diag, Brace PS, Fuse Panel, T3RE		each	
40	1	KBZ00001	1 Bag Kit, Fasteners, KIZ00001		each	

# Bill of Materials Listing


TransArctic Canada Inc.

9/17/2021  
Page 1 of 1

Product Number	Date	Description		Uof M	Weight	Yield		
Line	Qty	Component	Prod#	Rev#	Description	Bin	Unit	
<b>KBZ00001</b>	<b>11/7/2014</b>	<b>1</b>	<b>Bag Kit, Fasteners, KIZ00001</b>				<b>0.55</b>	<b>0</b>
10	2	BTQ06100			Bolt, Hex, 3/8-16unc, 1", 8, Plt		each	
20	5	BTQ06125			Bolt, Hex, 3/8-16unc, 1.25", 8, Plt		each	
30	2	NTQ06000			Nut, Hex, 3/8-16unc, 8, Plt		each	
40	9	WFN06000			Washer, Flat, 3/8", 2, Plt		each	
50	7	WLQ06000			Washer, Lock, 3/8", 8, Plt		each	



x4



ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
29	6	EACH	WLQ08000	WASHER, LOCK, 1/2", 8, PLT
28	9	EACH	WLA12000	WASHER, LOCK, 12mm, 8.8, PLT
27	3	EACH	WLA10000	WASHER, LOCK, 10mm, 8.8, PLT
26	6	EACH	WFO08000	WASHER, FLAT, 1/2", 8, PLT
25	16	EACH	WFA12000	WASHER, FLAT, 12mm, 8.8, PLT
24	6	EACH	WFA10000	WASHER, FLAT, 10mm, 8.8, PLT
23	2	EACH	SLV17012	SLEEVE, PULLEY, 16.9o x 22.23 mm x12.19i
22	1	EACH	SCD46012	SPACER, COL, DRL,46mm x 25.4o x 12.0i
21	1	EACH	SCD41012	SPACER, COL, DRL,41mm x 25.4o x 12.3i
20	1	EACH	PUL80074	PULLEY, IDLER, BACKSIDE, P8, 74D, 46.27W
19	1	EACH	PUL67323	PULLEY, CRANK, ADD-ON, COMBO, ISB, 2B/3V
18	1	EACH	PJMS012	PULLEY, ASSY, IDLER, B/BX gr, 5" STL, PLT
17	9	EACH	NTA12000	NUT, HEX, 12 x 1.75, 8.8, PLT
16	3	EACH	NTA10000	NUT, HEX, 10 x 1.5, 8.8, PLT
15	1	EACH	KIZ20001	KIT, INST, RELOCATE PDU, TRANSIT MTS
14	1	EACH	KCB84164	KIT, COMPRESSOR, 24V, OSG, '13
13	7	EACH	BTQ08126	BOLT, HEX, 1/2-20UNF x 1.25, 8, PLT
12	2	EACH	BTC12100	BOLT, HEX, 12 x 1.75 x 100mm, 10.9, PLT
11	2	EACH	BTC12050	BOLT, HEX, 12 x 1.75 x 50mm, 10.9, PLT
10	5	EACH	BTC12040	BOLT, HEX, 12 x 1.75 x 40mm, 10.9, PLT
9	3	EACH	BTC10035	BOLT, HEX, 10 x 1.5 x 35mm, 10.9, PLT
8	1	EACH	BMC90009	BKT, MAIN, RR SUPPORT, CNG, T3RE, '13
7	1	EACH	BMC83122	BKT, EXHAUST, ADAPTER, T3RE, '13
6	1	EACH	BMC83109	BKT, MAIN, LATERAL BRACE, T3RE, '13
5	1	EACH	BMC83107	BKT, MAIN, FRT SUPPORT, T3RE, '13
4	1	EACH	BMC67198	BKT, BRACE, IDLER, SUPPORT, '20
3	1	EACH	BMC67197	BKT, MAIN, IDLER, WELDMT, '20
2	1	EACH	BMC67096	BKT, DIAG BRACE, DS, FRAME RAIL, T3RE
1	1	EACH	BEL32235	BELT, BANDED, B Gr, 2235 mm (88")

**TRANSARC TIC INC.**




MT KIT, ISB13, T3RE 05G, 8" CR, '16

DATE: 4/25/2016



BY: Dale Mason

SCALE: 1:8

SHEET 1 OF 1



ISOMETRIC VIEW



- NOTES:**
- 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
  - 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".
  - 3) WEIGHT: 49.38 LBS.

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
19	11	EACH	WLO08000	WASHER, LOCK, 1/2", 8, PLT
18	8	EACH	WFO08000	WASHER, FLAT, 1/2", 8, PLT
17	1	EACH	TRD08120	THREADED, ROD, 1/2-13UNC x 12", 5 PLT
16	1	EACH	PUL03321	PULLEY, ALT, IDLER, 3.25"o, 2A
15	6	EACH	NT008000	NUT, HEX, 1/2-13UNC, 8, PLT
14	1	EACH	KBT84164	KIT, PLATFORM, OS6 W/ ALT, '13
13	1	EACH	CSF08076	CAPSCREW, FH, 1/2-20UNF x .75", ALLOY, PLT
12	1	EACH	BT008653	BOLT, HEX, 1/2-13UNC x 6.50, 8, PLT
11	1	EACH	BT008200	BOLT, HEX, 1/2-13UNC x 2.00, 8, PLT
10	1	EACH	BT008150	BOLT, HEX, 1/2-13UNC x 1.50, 8, PLT
9	2	EACH	BT008126	BOLT, HEX, 1/2-20UNF x 1.25, 8, PLT
8	3	EACH	BT008101	BOLT, HEX, 1/2-20UNF x 1.00, 8, PLT
7	1	EACH	BTP08653	BOLT, HEX, 1/2-13UNC x 6.50, 5, PLT, FT
6	1	EACH	BMZ00043	BKT, MAIN, BASE PL, '13
5	2	EACH	BMT10011	BKT, TENR, BLOCK, OFFSET, 3mm
4	1	EACH	BMN00025	BKT, BACK, PL, SLIDE, IC, RE300
3	2	EACH	BMN00008	VIBRATION ISOLATOR, BAR, 16.50 x 2 x 1.50
1	2	EACH	BELT1145	BELT, A GR, T138mm (44.8")

**BILL OF MATERIALS**

DRAWN	9/24/2013	<b>TRANSARCTIC INC.</b>
Checked		
REVISED	9/24/2013	TITLE
RELEASED TO PRODUCTION	9/24/2013	KIT, COMPRESSOR, 24V, OS6, '13
DATE:	9/24/2013	SIZE
BY:		DWG NO
APPROVED	9/24/2013	KCB84164
DATE		SCALE
		1:4
		SHEET 1 OF 1



2	REMOVED BMT1144 & FASTENERS	1/19/2015	JRR
1	REVISED KCB84164	11/9/2015	JRR
0	RELEASED TO PRODUCTION	9/24/2013	JRR
REV	DESCRIPTION:	DATE:	BY:
		9/24/2013	James Stewart
		9/24/2013	Ron Ingram
		9/24/2013	Dale Mason

THIS DRAWING CONTAINS PROPRIETARY CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.



UNSPECIFIED TOLERANCES: ALL DIMS  
 DIM DECIMAL PLACE (.XX) .00 (.010)  
 DIM FRACTIONAL PLACE (XXX) .00 (.000)  
 DIM FRACTIONAL PLACE (XXX) .00 (.000)  
 DIM FRACTIONAL PLACE (XXX) .00 (.000)

THIRD ANGLE PROJECTION

DRAWING UNIT OF MEASURE: MM (INCH)



ISOMETRIC VIEW



9 7 4 x4

x2 3 6 8

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
9	4	EACH	WLQ07000	WASHER, LOCK, 7/16", 8, PLT
8	2	EACH	WLQ06000	WASHER, LOCK, 3/8", 8, PLT
7	4	EACH	WFN07000	WASHER, FLAT, 7/16", 2, PLT
6	2	EACH	WFN06000	WASHER, FLAT, 3/8", 2, PLT
5	1	EACH	SCD29213	SPACER, COL, DRL, 29.21mm x 25.4o x 12.7i
4	4	EACH	NTP07000	NUT, HEX, 7/16-14UNC, 5, PLT
3	2	EACH	BTQ06150	BOLT, HEX, 3/8-16UNC, 1.50", 8, PLT
2	1	EACH	BMN80010	BKT, MAIN, SLIDE, ASSY, IC, RE300
1	1	EACH	BMC83111	BKT, WELDM'T, ALT EXTENSION, T3RE, '13

BILL OF MATERIALS





DRAWN	jrodriguez	9/25/2013
CHECKED	Val Jakowlew	9/25/2013
APPROVED	Dale Mason	9/25/2013
MFG	Ron Ingram	9/25/2013

		TITLE	<b>KIT, PLATFORM, O5G W/ ALT, '13</b>		
		SIZE		C	
DRAWING UNIT OF MEASURE:		MM [INCH]	SCALE	1:2	
DWG NO		KBT84164		REV	1

1	REVISED BMC83111.	1/19/2015	JRR
0	RELEASED TO PRODUCTION.	9/25/2013	JRR
REV/ECN:	DESCRIPTION:	DATE:	BY:
<small>THIS DRAWING CONTAINS PROPRIETARY CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.</small>			
UNSPECIFIED TOLERANCES:		[ALT. DIM.]	
ONE DECIMAL PLACE (.X)	.50	[.020]	
TWO DECIMAL PLACE (.XX)	.25	[.010]	
THREE DECIMAL PLACE (.XXX)	.10	[.005]	
FRACTIONAL +/- .002"	ANGULAR	+/- .50°	
THIRD ANGLE PROJECTION			

- NOTES:
- USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE **ALL** BOLTS TO S.A.E. SPECIFICATIONS.
  - SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".
  - WEIGHT: 16.18 LBS.

SCALE	1:2	SHEET	1	OF	1
-------	-----	-------	---	----	---



ISOMETRIC VIEW

NOTES:  
 1) USE SERVICABLE THREADLOCKER ON ALL FASTENERS TO ENGINE COMPONENTS AND TORQUE ALL BOLTS TO S.A.E. SPECIFICATIONS.  
 2) SEE "TRANSARCTIC A/C COMPRESSOR MOUNT INSTALLATION DISCLAIMER".

ITEM	QTY	U/M	PART NUMBER	DESCRIPTION
8	7	EACH	WLO06000	WASHER, LOCK, 3/8", 8, PLT
7	9	EACH	WFO06000	WASHER, FLAT, 3/8", 2, PLT
6	2	EACH	NTQ06000	NUT, HEX, 3/8-16UNC, 8, PLT
5	5	EACH	BTQ06125	BOLT, HEX, 3/8-16UNC x 1.25, 8, PLT
4	2	EACH	BTQ06100	BOLT, HEX, 3/8-16UNC, 1", 8, PLT
3	1	EACH	BMC67095	BKT. DIAG. BRACE PS, FUSE PANEL, T3RE
2	1	EACH	BMC67094	BKT. DIAG. BRACE DS, FUSE PANEL, T3RE
1	1	EACH	BMC67093	BKT. FUSE PANEL, VERT., ISB, T3RE

BILL OF MATERIALS  
**TRANSARCTIC INC.**

DRAWN	jrodriquez	11/7/2014
CHECKED	Vaj_Jakowlew	11/7/2014
RELEASED TO PRODUCTION	GA	11/7/2014
REVISION	DESCRIPTION	DATE
1	WAS METRIC FASTENERS	3/1/2016
2	RELEASED TO PRODUCTION	11/7/2014
3	DATE	BY
1	James Stewart	11/7/2014
2	MFG	11/7/2014
3	Ron Ingram	11/7/2014
4	APPROVED	11/7/2014
5	Date Mason	11/7/2014



THIS DRAWING CONTAINS PROPRIETARY CONFIDENTIAL INFORMATION OWNED BY TRANSARCTIC CANADA INC. THE DOCUMENT AND THE INFORMATION IN IT ARE NOT TO BE USED, DISCLOSED OR REPRODUCED WITHOUT EXPRESS WRITTEN PERMISSION OF THE COMPANY.



UNSPECIFIED TOLERANCES:	MM (INCH)
ONE DECIMAL PLACE (X.0)	±.05 (±.002)
TWO DECIMAL PLACE (X.00)	±.01 (±.0005)
THREE DECIMAL PLACE (X.000)	±.005 (±.0002)
FRACTIONAL (1/16")	±.005 (±.0002)
ANGULAR (±.01°)	±.01° (±.0002)





DRAWING UNIT OF MEASURE: MM (INCH)  
 SCALE: 1:2

TITLE: KIT, INST, RELOCATE PDU, TRANSIT MTS  
 DWG NO: KIZ00001  
 REV: 1 OF 1














## **TransArctic A/C Compressor Mount Installation Disclaimer**

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. As well as insure that a **proper and sufficient ground** is established between the compressors' clutches and the vehicle's engine. Mount functionality, operation and durability can all be compromised by an incompetent installation.

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount improperly installed by another party.

**With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.**

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.

**Mark OEM tensioner location**

**Install Kit**

**Check for Interferences**

**Check to ensure that the proper OEM tensioner orientation is maintained**

**Run engine with A/C system engaged for at least 10 minutes to run in belt**

**Check OEM tensioner orientation and adjust as required**

### **Responsabilidad limitada de TransArctic en la instalación del soporte del compresor**

Todos los soportes de los compresores deben ser instalados por personas calificadas y entrenadas, usando para ello los equipos y herramientas necesarios para esta labor en buenas condiciones y según las normas y guías para el servicio y/o reparación de motores de vehículos.

El instalador de los soportes comprados en TransArctic asume toda la responsabilidad de cualquier problema que surga en el soporte del compresor al vehículo; de igual manera es responsable que el cable a tierra sea conectado entre el embrague del compresor y el motor del vehículo.

Se advierte que el buen funcionamiento y la durabilidad del soporte pueden ser comprometidos por defectos en su instalación.

Debido a las diversas situaciones que se puedan presentar fuera del control del fabricante, TransArctic no garantiza el diseño, la durabilidad o el correcto funcionamiento de cualquier equipo inapropiadamente instalado por terceros.

**Esta sobreentendido que el Instalador del montaje del compresor es estrictamente responsable de la seguridad y funcionamiento del equipo en el momento de la instalación.**

Si tuviera algún problema o duda acerca de la instalación del soporte del compresor pongase en contacto inmediatamente con TransArctic al teléfono 1-877-COLD-AIR de modo que podamos mejorar nuestro producto.

**Note la ubicación del medidor de tensión OEM**

**Instale el equipo**

**Controlar si hay interferencias.**

**Asegurese que el medidor de tensión mantenga la orientación justa.**

**Encienda el motor por lo menos 10 minutos con el sistema A/C enganchado para que la correa corra**

**Controle la orientación justa del medidor de tensión y ajuste a las condiciones requeridas del fabricante**