

# Bill of Materials Listing

TransArctic Canada Inc.

5/20/2005

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
<b>KMM61301</b>		<b>Mt Kit, 6.4L MBE906, FS65, 1 TM-21, P8</b>		<b>6/12/2004</b>	<b>2.42</b>		<b>0</b>
10	BEL82120	Belt, 8gr, 2120mm (83.5") (5080835)		each	1		
20	SCD09012	Spacer, Col, Drl, 9mm x 28.58o x 12.32i		each	1		
30	SCD03208	Spacer, Col, Drl, 3.18mm x 19.05o x 8.33i		each	4		
40	SLV17012	Sleeve, Pulley, 16.9o x 22.23mm x 12.32i		each	1		
50	PUL80076	Pulley, Idler, Backside, P8, 76d (89062)		each	1		
60	KBM61000	Bag Kit, Fasteners, KMM61000/KMM61301		each	1		

# Bill of Materials Listing

TransArctic Canada Inc.


5/20/2005

Page 1 of 1

Product Number		Description	Bin	Date	Weight	Uof M	Yield
Line	Component Prod#	Description		Unit	Qty		
<b>KBM61000</b>		<b>Bag Kit, Fasteners, KMM61000/KMM61301</b>		<b>6/22/2004</b>	<b>0.57</b>		<b>0</b>
10	BTC12080	Bolt, Hex, 12 x 1.75 x 80mm, 10.9, Plt		each	1		
20	BTC08100	Bolt, Hex, 8 x 1.25 x 100mm, 10.9, Plt		each	4		
30	WDS17001	Washer, Dust Cover (89060)		each	1		
40	WFA08000	Washer, Flat, 8mm, 8.8, Plt		each	4		
50	WLA12000	Washer, Lock, 12mm, 8.8, Plt		each	1		
60	WLA08000	Washer, Lock, 8mm, 8.8, Plt		each	4		

## **KMM61301 Mercedes 906 Single TM-21**

Puts single TM-21 in the OEM location



Remove OEM belt and discard.

Bolt TM-21 (or equivalent) into OEM casting using 4 x 1/8 spacers and hardware supplied.

Install Backside Idler pulley using 9mm Spacer, Sleeve, Bolt and Washer provided.

Install Belt provided in kit. Check alignment and spring tensioner operation.

## **TransArctic A/C Compressor Mount Installation Disclaimer**

All compressor mounts should be installed by qualified and trained personnel using proper tools and equipment in safe working conditions following industry standard guidelines for motor vehicle service and repair.

The installer of any compressor mount purchased from TransArctic must undertake all responsibility of issues arising from that compressor bracket being installed on any vehicle. Mount functionality, operation and durability can all be compromised by an incompetent installation.

Due to the many different situations, parameters and application criteria, which are beyond the compressor mount manufacturer's control, TransArctic does not warrant design, durability, or operational functionality of any compressor mount improperly installed by another party.

**With no implied guarantees it is the mount installer's strict responsibility to determine safety and functionality, of the compressor mount, at the time of installation.**

Please contact TransArctic with any issue arising from installation so we may better improve the product. If you have any reservations about the compressor mount integrity contact TransArctic immediately at 1-877-COLD-AIR.